

Пескоразбрасыватели SP-1575-1, SP-1875-1

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Bulk ProTM



FLEETFLEX
ELECTRICAL SYSTEM

**TAILGATE
SPREADERS**



FEATURES & SPECIFICATIONS

MOUNTING SYSTEMS

Model SP-1575-1 comes with an integrated 2" receiver/ 3-point mounting system for use with many types of vehicles. SP-1875-1 offers plenty of versatility with a variety of mount options available, including a Universal Pivot Mount.

VIBRATOR

The vibrator attaches to the inverted V baffle to maximize flow of bulk materials.

INVERTED "V"

The patented inverted V baffle allows a consistent flow of bulk materials to the auger.

DUAL VARIABLE-SPEED CONTROL

This digital, self-diagnosing unit allows independent adjustment of spinner and auger speeds.

FITTED LID

The fitted lid provides a convenient solution to protect material from moisture.

TRANSVERSE AUGER TRANSMISSION

Features a 12-volt electric motor for reliable operation and low maintenance. The auger uses heavy-duty, variable-pitch flighting, which provides balanced delivery of material to the spinner. This innovative system allows the tailgate spreaders to distribute bulk material with unmatched accuracy.

ADDITIONAL FEATURES: Two-Stage Design (auger/spinner), Top Screen, Low Profile Design, Fitted Wind-Resistant Lid

OPTIONAL MOUNTS

SP-1075X-1/SP-1875-1

RECEIVER MOUNT

Installs spreaders on a 2-inch receiver hitch. SP-1875-1 also requires adapter (RHT-085) for use with receiver mount.



SP-1875-1

3-POINT MOUNT

Adds spreaders to the 3-point hitch of utility tractors.



ACCESSORIES



MATERIAL CONTROL TUBES

Prevent leaking issues when handling fine pellet and flake materials.

See Pages 28-30 for full list of accessories.

PRE-WET SYSTEMS AVAILABLE

83715 (30 GAL) SP-1875-1

A 12-volt motor powers a direct-drive pump. This simple setup results in low maintenance and reliable performance.



MODEL:	SP-1575-1	SP-1875-1
Capacity Volume	5.25 cu ft	9.0 cu ft
Capacity Weight	420 lb	720 lb
Empty Weight	160 lb	180 lb

Bulk Pro(TM) Specifications

Construction

<i>Imperial</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Frame	Powder coated steel	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly	One-piece LLDPE safety yellow poly
Motors	Dual 12-volt DC direct-drive motors mounted in weather resistant enclosure	Dual 12-volt DC direct-drive motors mounted in weather resistant enclosure
Spinner Drive Assembly	Maximum torque transmission with hardened-steel worm and bronze gear	Maximum torque transmission with hardened-steel worm and bronze gear
Spinner	10" nylon/glass reinforced resin	12" powder coated steel
Auger Drive Assembly	Heavy-duty solid steel construction with maximum torque motor transmission drive	Heavy-duty solid steel construction with maximum torque motor transmission drive
Auger	Horizontal high-flow auger	Horizontal high-flow auger
Mounting	Receiver mount and 3-Point mount combination standard	Mount not included. (Receiver, 3-point or pivot mount optional)

<i>Metric</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Frame	Powder coated steel	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly	One-piece LLDPE safety yellow poly
Motors	Dual 12-volt DC direct-drive motors mounted in weather resistant enclosure	Dual 12-volt DC direct-drive motors mounted in weather resistant enclosure
Spinner Drive Assembly	Maximum torque transmission with hardened-steel worm and bronze gear	Maximum torque transmission with hardened-steel worm and bronze gear
Spinner	25.4 cm nylon/glass reinforced resin	30.5 cm powder coated steel
Auger Drive Assembly	Heavy-duty solid steel construction with maximum torque motor transmission drive	Heavy-duty solid steel construction with maximum torque motor transmission drive
Auger	Horizontal high-flow auger	Horizontal high-flow auger
Mounting	Receiver mount and 3-Point mount combination standard	Mount not included. (Receiver, 3-point or pivot mount optional)

Dimensions

<i>Imperial</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Approx. Weight (Empty)	160 lb	180 lb
Overall Length	20.5"	24"
Overall Height	34"	36"
Overall Width	38"	52"
Hopper Length	20.5"	21"
Hopper Width	38"	47"

<i>Metric</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Approx. Weight (Empty)	72.6 kg	81.7 kg
Overall Length	52.1 cm	60.9 cm
Overall Height	86.4 cm	91.4 cm
Overall Width	96.5 cm	132.1 cm
Hopper Length	52.1 cm	53.3 cm
Hopper Width	96.5 cm	119.4 cm

Bulk Pro(TM) Specifications

Electrical

<i>Imperial</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Speed Control	Digital, self-diagnosing variable speed control	Digital, self-diagnosing variable speed control
Wiring Harness	Completely loomed with molded plugs	Completely loomed with molded plugs

<i>Metric</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Speed Control	Digital, self-diagnosing variable speed control	Digital, self-diagnosing variable speed control
Wiring Harness	Completely loomed with molded plugs	Completely loomed with molded plugs

Operational

<i>Imperial</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Capacity (Volume)	5.25 cu ft	9.0 cu ft
Capacity (Weight)*	420 lb	720 lb
Spreading Width	Up to 30'	Up to 40'

<i>Metric</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Capacity (Volume)	0.149 cu m	0.254 cu m
Capacity (Weight)*	190.5 kg	326.6 kg
Spreading Width	Up to 9.2 m	Up to 12.2 m

Standard Equipment

<i>Imperial</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Top Screen	1/4" steel rod construction with grid pattern	1/4" steel rod construction with grid pattern
Cover	Fitted lid	Fitted lid
Vibrator	Standard	Standard
Inverted	Patented vibrating inverted "V" to maximize material flow	Patented vibrating inverted "V" to maximize material flow

<i>Metric</i>	<i>SP-1575-1</i>	<i>SP-1875-1</i>
Top Screen	0.6 cm steel rod construction with grid pattern	0.6 cm steel rod construction with grid pattern
Cover	Fitted lid	Fitted lid
Vibrator	Standard	Standard
Inverted	Patented vibrating inverted "V" to maximize material flow	Patented vibrating inverted "V" to maximize material flow

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93