

Пескоразбрасыватели SP-1675

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Precision Pro

TAILGATE
SPREADER

FEATURES & SPECIFICATIONS



MODEL:	SP-1675
Capacity Volume	6.0 cu ft
Capacity Weight	480 lb
Empty Weight	290 lb

VARIABLE-WIDTH SIDEWALK SPREADER

Broadcast-type spreader designed to adjust to varying widths of sidewalks or paths. Offers a variable spread pattern from 4 to 12 feet wide.

LEAK-FREE MATERIAL DISTRIBUTION

The gateless design doesn't leak material when the spreader is turned off.

CONSISTENT MATERIAL FLOW

Utilizes volumetric feeding system to deliver material directly to the center of the spinner consistently, regardless of material type or condition.

ADJUSTABLE SPINNER

Constructed of stainless steel for superior corrosion resistance, the spinner includes adjustable cups to refine the spread pattern in order to most efficiently cater to the application.

DUAL VARIABLE-SPEED CONTROL

Allows for variable control of spinner and auger speeds for precise material delivery, whether at low or high output.

FEATURES & SPECIFICATIONS



Precision Pro Specifications

Construction

Imperial	SP-1675
Frame	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly
Motors	12-volt DC motor mounted in weather resistant enclosure
Spinner Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor drive
Spinner	12" adjustable stainless steel spinner
Auger Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor drive
Auger	Rotary vane
Mounting	Mount not included. (Receiver, 3-point or Utility mount optional)

Metric	SP-1675
Frame	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly
Motors	12-volt DC motor mounted in weather resistant enclosure
Spinner Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor drive
Spinner	30.5 cm adjustable stainless steel spinner
Auger Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor drive
Auger	Rotary vane
Mounting	Mount not included. (Receiver, 3-point or Utility mount optional)

Dimensions

Imperial	SP-1675
Approx. Weight (Empty)	290 lb
Overall Length	30"
Overall Height	30"
Overall Width	49.5"
Hopper Length	20"
Hopper Width	48"

Metric	SP-1675
Approx. Weight (Empty)	131.5 kg
Overall Length	76.2 cm
Overall Height	76.2 cm
Overall Width	125.7 cm
Hopper Length	50.8 cm
Hopper Width	121.9 cm

Electrical

Imperial	SP-1675
-----------------	----------------

Precision Pro Specifications

Speed Control	Digital, self-diagnosing dual variable-speed control
Wiring Harness	Completely loomed automotive style, non-combustible with molded plugs

Metric	SP-1675
Speed Control	Digital, self-diagnosing dual variable-speed control
Wiring Harness	Completely loomed automotive style, non-combustible with molded plugs

Operational

Imperial	SP-1675
Capacity (Volume)	6.0 cu ft
Capacity (Weight)*	480 lb
Spreading Width	4' to 12'

Metric	SP-1675
Capacity (Volume)	0.169 cu m
Capacity (Weight)*	217.7 kg
Spreading Width	1.2 to 3.7 m

Standard Equipment

Imperial	SP-1675
Top Screen	1/4" steel rod construction with grid pattern
Cover	Fitted lid
Vibrator	Standard
Inverted	Patented vibrating baffle to maximize material flow

Metric	SP-1675
Top Screen	0.6 cm steel rod construction with grid pattern
Cover	Fitted lid
Vibrator	Standard
Inverted	Patented vibrating baffle to maximize material flow

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93