

# Снегоочистители

## 7600HD, 8000HD, 8600HD, 9000HD, 8600SW

### Технические характеристики

#### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

# Skid-Steer Plows

STRAIGHT  
& WINGED  
BLADES

FEATURES & SPECIFICATIONS

## OSCILLATING MOUNT

Provides six degrees of total side-to-side oscillation, which allows the blade to follow the contours of the pavement for a cleaner scrape.

## FULL-TRIP MOLDBOARD

Includes four steel coil springs to protect plow, skid-steer, and operator when encountering obstacles.

## SLOPED ATTACHMENT PLATE

Attachment plate is sloped 10 degrees allowing the blade to be raised with the bucket tilt function for efficient plowing.

## ONBOARD HYDRAULICS

Skid-steer plows are quick to install and easy to operate. Leverage the skid-steers onboard hydraulic system for powerful, efficient performance.

## AUTOMATICALLY ADJUSTING WINGS

### 8600SW

Intuitive design includes mechanical wings that automatically adjust from scoop to windrow position as the plow is angled.

**Additional Features:** Formed Torque Box with four Vertical Reinforcement Ribs (8600SW), two Angled Power Ribs, and six Vertical Reinforcement Ribs (HD Models), 6" Steel Cutting Edge

| MODEL:         | 7600HD | 8000HD | 8600HD |
|----------------|--------|--------|--------|
| Blade Width    | 7'6"   | 8'     | 8'6"   |
| Blade Height   | 31"    | 31"    | 31"    |
| Approx. Weight | 730 lb | 747 lb | 764 lb |



| 9000HD | 8600SW |
|--------|--------|
| 9'     | 8'7"   |
| 31"    | 31"    |
| 782 lb | 892 lb |



ACCESSORIES



### SHOE ASSEMBLY KIT

Adjusts the scraping height of the blade and enhances its ability to float over the plowing surface, rather than digging in (standard on 8600SW/optional on HD)



### DEFLECTOR KIT

A deflector enhances snow containment and prevents it from blowing onto the windshield.

See Page 30 for full list of accessories.

## Heavy-Duty Specifications

### Construction

| <b>Imperial</b>      | <b>7600HD</b>      | <b>8000HD</b>      | <b>8600HD</b>      | <b>9000HD</b>      |
|----------------------|--------------------|--------------------|--------------------|--------------------|
| Blade/Wing Thickness | 12 ga              | 12 ga              | 12 ga              | 12 ga              |
| Reinforcement Ribs   | 6 vertical/2 angle | 6 vertical/2 angle | 6 vertical/2 angle | 6 vertical/2 angle |
| Trip Springs         | 4 steel            | 4 steel            | 4 steel            | 4 steel            |

| <b>Metric</b>        | <b>7600HD</b>      | <b>8000HD</b>      | <b>8600HD</b>      | <b>9000HD</b>      |
|----------------------|--------------------|--------------------|--------------------|--------------------|
| Blade/Wing Thickness | 12 ga              | 12 ga              | 12 ga              | 12 ga              |
| Reinforcement Ribs   | 6 vertical/2 angle | 6 vertical/2 angle | 6 vertical/2 angle | 6 vertical/2 angle |
| Trip Springs         | 4 steel            | 4 steel            | 4 steel            | 4 steel            |

### Dimensions

| <b>Imperial</b>            | <b>7600HD</b>          | <b>8000HD</b>           | <b>8600HD</b>           | <b>9000HD</b>          |
|----------------------------|------------------------|-------------------------|-------------------------|------------------------|
| Blade Width                | 7' 6"                  | 8' 0"                   | 8' 6"                   | 9' 0"                  |
| Blade Height               | 31"                    | 31"                     | 31"                     | 31"                    |
| Angle Cylinders            | 1½"                    | 1½"                     | 1½"                     | 1½"                    |
| Plowing Width (Straight)   | 90"<br>110.5" w/Wings  | 96"<br>116.5" w/Wings   | 102"<br>122.5" w/Wings  | 108"<br>128.5" w/Wings |
| Plowing Width (Full Angle) | 78.1"<br>95.2" w/Wings | 83.3"<br>100.4" w/Wings | 88.5"<br>105.6" w/Wings | 93"<br>112" w/Wings    |
| Approx. Weight*            | 735 lb                 | 752 lb                  | 769 lb                  | 787 lb                 |
| Cutting Edge               | 1/2" x 6"              | 1/2" x 6"               | 1/2" x 6"               | 1/2" x 6"              |

| <b>Metric</b>              | <b>7600HD</b>                | <b>8000HD</b>                | <b>8600HD</b>                | <b>9000HD</b>                |
|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Blade Width                | 228.6 cm                     | 243.8 cm                     | 259.1 cm                     | 274.3 cm                     |
| Blade Height               | 78.7 cm                      | 78.7 cm                      | 78.7 cm                      | 78.7 cm                      |
| Angle Cylinders            | 3.8 cm                       | 3.8 cm                       | 3.8 cm                       | 3.8 cm                       |
| Plowing Width (Straight)   | 228.6 cm<br>280.7 cm w/Wings | 243.8 cm<br>295.9 cm w/Wings | 259.1 cm<br>311.2 cm w/Wings | 274.3 cm<br>326.4 cm w/Wings |
| Plowing Width (Full Angle) | 198.4 cm<br>241.8 cm w/Wings | 211.6 cm<br>255 cm w/Wings   | 224.8 cm<br>268.2 cm w/Wings | 236.2 cm<br>284.5 cm w/Wings |
| Approx. Weight*            | 333 kg                       | 341 kg                       | 349 kg                       | 357 kg                       |
| Cutting Edge               | 1.3 cm x 15.2 cm             | 1.3 cm x 15.2 cm             | 1.3 cm x 15.2 cm             | 1.3 cm x 15.2 cm             |

## ***SPEEDWING(TM) Specifications***

---

### ***Construction***

| <b><i>Imperial</i></b> | <b><i>8600SW</i></b> |
|------------------------|----------------------|
| Blade/Wing Thickness   | 12 ga                |
| Reinforcement Ribs     | 4                    |
| Trip Springs           | 4 steel              |

| <b><i>Metric</i></b> | <b><i>8600SW</i></b> |
|----------------------|----------------------|
| Blade/Wing Thickness | 12 ga                |
| Reinforcement Ribs   | 4                    |
| Trip Springs         | 4 steel              |

### ***Dimensions***

| <b><i>Imperial</i></b>     | <b><i>8600SW</i></b>              |
|----------------------------|-----------------------------------|
| Blade Width                | 8' 7"                             |
| Blade Height               | 29½"                              |
| Angle Cylinders            | 1½"                               |
| Plowing Width (Straight)   | 103" - Scoop                      |
| Plowing Width (Full Angle) | 93.4" - Windrow                   |
| Approx. Weight*            | 892 lb                            |
| Cutting Edge               | 1/2" x 6" blade<br>1/2" x 8" wing |

| <b><i>Metric</i></b>       | <b><i>8600SW</i></b>                      |
|----------------------------|-------------------------------------------|
| Blade Width                | 261.6 cm                                  |
| Blade Height               | 74.9 cm                                   |
| Angle Cylinders            | 3.8 cm                                    |
| Plowing Width (Straight)   | 261.6 cm - Scoop                          |
| Plowing Width (Full Angle) | 237.2 cm - Windrow                        |
| Approx. Weight*            | 405 kg                                    |
| Cutting Edge               | 1.3 x 15.2 cm blade<br>1.3 x 20.3 cm wing |

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93