



Снегоочистители 6000 MD, 7200 MD

Технические характеристики



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

PURPOSE-BUILT

Perfectly sized for your mid-duty UTV, the Mid-Duty UTV Straight Blades offer commercial durability and fully hydraulic blade controls. The 5'6" and 6' widths fit sidewalks completely for fast and efficient winter cleanup.

HYDRAULIC OPERATION

Protect your operators from the elements with the SnowEx® Mid-Duty UTV Plows. Position the plows left, right, up, down, or float from inside the cab with fully hydraulic operation. This hydraulic system has been specifically designed to operate on mid-duty UTV plows, minimizing amperage draw and weight for seamless operation.

SWAY-FRAME™ DESIGN

This unique design allows the blade to shift side-to-side to align the blade with the wheel track. This keeps the blade in the optimal position to maximize cleanup with each pass and helps prevent the wheels from packing down missed snow.

STEEL MOLDBOARDS

Constructed from high-strength, low-alloy steel components, these plows provide better performance and durability than plastic or stamped-steel products, especially when sidewalk surfaces get brutal. The plows' widths are ideal for sidewalk cleanup.

ENHANCED PLOW CONTROL

The deluxe plow control is IP66-rated against moisture and provides flexibility for either hand-held or dash-mounted configuration. The weather-resistant control uses large, durable switches that are easy to use—even with gloves on.

LIGHTWEIGHT QUICK ATTACHMENT SYSTEM

The mounting system is easy to use and easy to install. Its design optimizes ground clearance and is built tough to withstand harsh environments year after year.



MODEL:	6000 MD	7200 MD
Blade Width	5'6"	6'
Blade Height	19.67"	19.67"
Approx. Weight*	190 lb	195 lb

- Poly Cutting Edge
- High-Wear Cutting Edge
- Shoe Kit

See Page 30 for full list of accessories

POLY CUTTING EDGE

DEFLECTOR KIT

SHOE KIT



Mid-Duty UTV Straight Blade Specifications

Construction

Imperial	6000 MD	7200 MD
Blade Gauge	16 ga	16 ga
Vertical Ribs	4	4
Trip Springs	2	2
Mount Type	Mid-Duty UTV Mounting System	Mid-Duty UTV Mounting System

Metric	6000 MD	7200 MD
Blade Gauge	0.15 cm	0.15 cm
Vertical Ribs	4	4
Trip Springs	2	2
Mount Type	Mid-Duty UTV Mounting System	Mid-Duty UTV Mounting System

Dimensions

Imperial	6000 MD	7200 MD
Blade Width	5' 6"	6' 0"
Blade Height	19.67"	19.67"
Lift Cylinder*(Single Acting)	Hydraulic: 1.5" x 3" (one) Winch: N/A	Hydraulic: 1.5" x 3" (one) Winch: N/A
Angling Rams*(Double Acting)	Hydraulic: 1.5" x 4" Winch: N/A	Hydraulic: 1.5" x 4" Winch: N/A
Plowing Width(Full Angle)	4' 11"	5' 4"
Approx. Weight**	Hydraulic: 190 lb Winch: 175 lb	Hydraulic: 195 lb Winch: 180 lb
Cutting Edge	¼" x 4"	¼" x 4"

Metric	6000 MD	7200 MD
Blade Width	1.68 m	1.83 m
Blade Height	50 cm	50 cm
Lift Cylinder*(Single Acting)	Hydraulic: 3.8 cm x 7.6 cm Winch: N/A	Hydraulic: 3.8 cm x 7.6 cm Winch: N/A
Angling Rams*(Double Acting)	Hydraulic: 3.8 cm x 10.2 cm Winch: N/A	Hydraulic: 3.8 cm x 10.2 cm Winch: N/A
Plowing Width(Full Angle)	1.50 m	1.63 m
Approx. Weight**	Hydraulic: 86.2 kg Winch: 79.4 kg	Hydraulic: 88.5 kg Winch: 81.7 kg
Cutting Edge	0.6 cm x 10.2 cm	0.6 cm x 10.2 cm

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93