

Пескоразбрасыватели V-Pro

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



FEATURES & SPECIFICATIONS

INVERTED V / VIBRATOR

Patented system of a vibrator attached to a solid steel inverted "V" baffle provides a consistent flow of bulk materials to the auger.

EFFICIENT DIRECT DRIVE TRANSMISSION

Compact, independent weather-tight patented motor transmission. Quietly delivers power to the auger for controlled, positive feed of material.

REMOVABLE CHUTE ASSEMBLY

Gain easy access to truck hitch by removing the spinner assembly.

FITTED TARP

A tarp fitted to the spreader's dimensions protects material from outside weather elements.

TOP SCREEN

Ensures material that enters the hopper is of consistent size by breaking up any clumps and filtering out large debris.

DUAL VARIABLE-SPEED CONTROL

Allows for variable control of spinner and auger speeds for precise material delivery, whether at low or high output.



MODEL:	32300	32600
Capacity Volume	0.5 cu yd	1.0 cu yd
Capacity Weight	1,080 lb	2,160 lb
Empty Weight	386 lb	416 lb
Bed Length	58"	58"

ACCESSORIES

OPTIMUM FLOW KIT
MODELS: 32200/32300/32600

Improves material flow and allows spreading of 50/50 salt/sand mix with vibrator and dual pitch baffle.

30 GAL
MODELS: 32300/32600

A **12-volt motor** powers a direct-drive pump. This simple setup results in low maintenance and reliable performance.

LIQUID SYSTEMS

See Pages 28-30 for additional accessories.

V-Pro(TM) 32300 & 32600 Specifications

Construction

<i>Imperial</i>	<i>32300</i>	<i>32600</i>
Frame	Powder coated steel	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly with integral vertical rib construction	One-piece LLDPE safety yellow poly with integral vertical rib construction
Motors	Dual, 12-volt DC motor mounted in weather resistant enclosure	Dual, 12-volt DC motor mounted in weather resistant enclosure
Spinner Drive Assembly	Compact, independent weather-tight patented motor transmission	Compact, independent weather-tight patented motor transmission
Spinner	12" powder coated steel with cupped fins	12" powder coated steel with cupped fins
Auger Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor transmission drive	Heavy-duty solid steel construction with maximum-torque motor transmission drive
Auger	3" transverse high-flow auger	3" transverse high-flow auger
Mounting	Positive locking mount with bolt-down kit and ratchet-strap assist	Positive locking mount with bolt-down kit and ratchet-strap assist

<i>Metric</i>	<i>32300</i>	<i>32600</i>
Frame	Powder coated steel	Powder coated steel
Hopper	One-piece LLDPE safety yellow poly with integral vertical rib construction	One-piece LLDPE safety yellow poly with integral vertical rib construction
Motors	Dual, 12-volt DC motor mounted in weather resistant enclosure	Dual, 12-volt DC motor mounted in weather resistant enclosure
Spinner Drive Assembly	Compact, independent weather-tight patented motor transmission	Compact, independent weather-tight patented motor transmission
Spinner	30.5 cm powder coated steel with cupped fins	30.5 cm powder coated steel with cupped fins
Auger Drive Assembly	Heavy-duty solid steel construction with maximum-torque motor transmission drive	Heavy-duty solid steel construction with maximum-torque motor transmission drive
Auger	7.6 cm transverse high-flow auger	7.6 cm transverse high-flow auger
Mounting	Positive locking mount with bolt-down kit and ratchet-strap assist	Positive locking mount with bolt-down kit and ratchet-strap assist

Dimensions

<i>Imperial</i>	<i>32300</i>	<i>32600</i>
Empty Weight	386 lb	416 lb
Overall Length	77"	77"
Overall Height	27"	36"
Overall Width	48.5"	48.5"
Floor Length	58"	58"
Floor Width	34"	44"
Hopper Length	66"	66"
Hopper Width	48.5"	48.5"

<i>Metric</i>	<i>32300</i>	<i>32600</i>
Empty Weight	175.1 kg	188.7 kg

V-Pro(TM) 32300 & 32600 Specifications

Overall Length	195.6 cm	195.6 cm
Overall Height	68.6 cm	91.4 cm
Overall Width	123.2 cm	123.2 cm
Floor Length	147.3 cm	147.3 cm
Floor Width	86.4 cm	111.8 cm
Hopper Length	167.6 cm	167.6 cm
Hopper Width	123.2 cm	123.2 cm

Electrical

Imperial	32300	32600
Speed Control	Digital, self-diagnosing dual variable-speed control	Digital, self-diagnosing dual variable-speed control
Wiring Harness	Completely loomed with molded plugs	Completely loomed with molded plugs

Metric	32300	32600
Speed Control	Digital, self-diagnosing dual variable-speed control	Digital, self-diagnosing dual variable-speed control
Wiring Harness	Completely loomed with molded plugs	Completely loomed with molded plugs

Operational

Imperial	32300	32600
Capacity (Volume)	0.5 cu yd	1.0 cu yd
Capacity (Weight)*	1,080 lb	2,160 lb
Spreading Width	Up to 40'	Up to 40'

Metric	32300	32600
Capacity (Volume)	0.4 cu m	0.8 cu m
Capacity (Weight)*	489.9 kg	979.8 kg
Spreading Width	Up to 12.2 m	Up to 12.2 m

Standard Equipment

Imperial	32300	32600
Top Screen	5/16" steel rod construction with grid pattern	5/16" steel rod construction with grid pattern
Cover	Fitted tarp	Fitted tarp
Vibrator	Standard heavy-duty 12-volt DC	Standard heavy-duty 12-volt DC
Inverted V	Patented vibrating inverted "V" to maximize material flow	Patented vibrating inverted "V" to maximize material flow
Brake Light	Yes	Yes
Work Light	No	No

Metric	32300	32600
---------------	--------------	--------------

V-Pro(TM) 32300 & 32600 Specifications

Top Screen	0.8 cm steel rod construction with grid pattern	0.8 cm steel rod construction with grid pattern
Cover	Fitted tarp	Fitted tarp
Vibrator	Standard heavy-duty 12-volt DC	Standard heavy-duty 12-volt DC
Inverted V	Patented vibrating inverted "V" to maximize material flow	Patented vibrating inverted "V" to maximize material flow
Brake Light	Yes	Yes
Work Light	No	No

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93